

EAST Search History**EAST Search History (Prior Art)**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S643	591161	(double dual two multiple plural many) with (writ\$3 stor\$3 copy \$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/10 12:42
S647	1083985	(single one once) with (read\$3 load\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 08:43
S648	55231	S643 same S647	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/18 15:26
S649	254541	(double dual two multiple plural many) near3 (writ\$3 stor\$3 copy\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 08:44
S650	773976	(single one once) near5 (read\$3 load\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 17:18
S651	16503	S649 same S650	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/18 15:33
S652	3427	711/114.ccls. 711/4.ccls. 711/168.ccls. 711/150.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/14 12:24
S653	4357	365/189.04-189.05.ccls. 365/220-221.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/10 12:54
S654	459	360/22.ccls. 360/47.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/10 12:54

S656	565	369/30.1.ccls. 369/30.23 369/93.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 16:20
S657	8750	S652 S653 S654 S656	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/18 15:48
S658	712	S651 and S657	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/18 15:49
S659	113454	read\$3 with (buffer fifo)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 16:23
S660	343	S658 and S659	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/18 15:50
S661	3427	711/114.ccls. 711/4.ccls. 711/168.ccls. 711/150.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 16:19
S662	4357	365/189.04-189.05.ccls. 365/220-221.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 08:36
S663	459	360/22.ccls. 360/47.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 08:36
S664	565	369/30.1.ccls. 369/30.23 369/93.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/10 12:54
S665	571	710/20-21.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/10 12:55
S666	591655	(double dual two multiple plural many) with (writ\$3 stor\$3 copy \$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 16:21

S667	1084597	(single one once) with (read\$3 load\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 08:43
S668	774248	(single one once) near5 (read\$3 load\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 09:52
S669	254706	(double dual two multiple plural many) near3 (writ\$3 stor\$3 copy\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 09:55
S670	16508	S668 same S669	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 08:44
S671	113525	read\$3 with (buffer fifo)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/10 12:55
S672	1527	S670 same S671	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 08:45
S673	9270	S661 S662 S663 S664 S665	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 08:45
S674	103	S672 and S673	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 08:47
S675	2	"5966732".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 08:47
S676	5198	711/112-114.ccls. 711/4.ccls. 711/168.ccls. 711/150.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/10 12:55
S677	33	S674 and S676	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 08:58

S679	26	S677 and (@ad<="20030715" @rlad<="20030715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/10 13:02
S680	543966	(single one once) near3 (read\$3 load\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 09:54
S681	12502	S669 same S680	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 09:53
S682	13558	S680 with (buffer fifo)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 09:53
S683	1576	S681 and S682	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 09:53
S684	102557	(double dual two multiple plural many) near1 (writ\$3 stor\$3 copy\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 09:53
S685	146431	(single one once) near1 (read\$3 load\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 09:54
S686	1605	S684 same S685	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 09:54
S687	255	S682 and S686	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 09:55
S688	4328	S684 with (command instruction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 09:56
S689	49	S687 and S688	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 09:56

S690	44	S689 and (@ad<="20030715" @rlad<="20030715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 16:36
S691	174	S686 same (disk disc)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 10:46
S693	18	S688 and S691	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 10:47
S694	11	S693 and (@ad<="20030715" @rlad<="20030715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 10:59
S695	29	kroening-james\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 16:24
S696	9	S684 and S695	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 11:02
S697	1	S696 and S688	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 11:02
S698	3770	711/114.ccls. 711/4.ccls. 711/168.ccls. 711/150.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 16:19
S699	4553	365/189.04-189.05.ccls. 365/220-221.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 16:19
S700	463	360/22.ccls. 360/47.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 16:19
S701	591	369/30.1.ccls. 369/30.23 369/93. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 16:20

S702	5706	711/112-114.ccls. 711/4.ccls. 711/168.ccls. 711/150.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 16:20
S703	668847	(double dual two multiple plural many) with (writ\$3 stor\$3 copy \$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 16:33
S704	127669	read\$3 with (buffer queue fifo)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 17:14
S705	29	kroening-james\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/10 12:41
S706	50660	S703 same (disk discs)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 16:34
S707	11	S705 and S706	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 16:25
S708	375086	(double dual two multiple plural many) with (writ\$3 store storing copy\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 17:06
S709	28344	S708 same (disk discs)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 16:34
S710	5137	S704 and S709	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 16:34
S711	10990	S699 S700 S701 S702	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 16:35
S712	769	S710 and S711	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 16:35

S713	725	S712 and (@ad<="20030715" @rlad<="20030715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 17:12
S714	132843	user same (disk disc)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 16:37
S715	398	S713 and S714	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 16:37
S716	632	((reserve spare protect) with (area region segment protion part) with user) same (disk disc)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 16:40
S717	7	S715 and S716	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 16:40
S718	406046	(double dual duplicate two multiple plural many burst backup mirror\$3 snapshort) with (writ\$3 store storing copy \$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/25 16:11
S719	33338	S718 same (disk dics)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 17:09
S720	40610	S718 same (command instruction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 17:15
S722	34058	single adj5 read\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 17:11
S723	289	S718 and S719 and S720 and S722 and S704	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 17:13
S724	267	S723 and (@ad<="20030715" @rlad<="20030715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 17:21

S725	11921	S704 same (disk disc)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 17:14
S726	157	S724 and S725	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 17:14
S727	26929	S718 with (command instruction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 17:15
S728	522874	(single one once) near5 (read \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 17:20
S729	25270	S718 same S728	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 17:20
S730	155	S727 and S725 and S719 and S729	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 17:20
S731	146	S730 and (@ad<="20030715" @rlad<="20030715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/25 14:39
S732	45	S731 and S711	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/22 17:21
S733	2	"6629204".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/25 14:39
S734	1	S733 and user	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/25 15:11
S735	0	"6412042".pn. and user	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/25 15:13

S736	1	"6412042".pn. and program	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/25 15:21
S737	2	"5893919".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/25 15:21
S738	2	S737 and user	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/25 15:22
S739	406847	(double dual duplicate two multiple plural many burst backup mirror\$3 snapshot) with (writ\$3 store storing copy \$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/25 16:14
S740	33426	S739 same (disk discs)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/25 16:12
S741	46372	(double dual duplicate two multiple plural many burst backup mirror\$3 snapshot) with (writ\$3 store storing copy \$3) with (address location)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/25 16:14
S742	4032	S740 and S741	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/25 16:14
S743	2738	S742 and user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/25 16:14
S744	26982	(double dual duplicate two multiple plural many burst backup mirror\$3 snapshot) with (writ\$3 store storing copy \$3)with (command instruction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/25 16:34
S745	672	S743 and S744	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/25 16:15
S747	11861	buffer same (disk discs) same writ \$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/25 16:16

S748	212	S745 and S747	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/25 16:17
S749	8433	reserve same user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/25 16:33
S750	11	S748 and S749	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/25 16:17
S751	11	S750 and (@ad<="20030715" @rlad<="20030715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/25 16:18
S752	49983	(reserve protect) same user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/25 16:33
S753	2333	(reserve protect) with (area region) same user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/10 12:57
S754	12954	(double dual duplicate two multiple plural burst mirror\$3) with (writ\$3 copy\$3)with (command instruction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/10 12:56
S755	4	S753 and S754 and S747	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/25 16:35
S756	31	kroening-james\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/10 12:41
S757	666270	(double dual two multiple plural many multiplicity) with (writ\$3 stor\$3 coppy\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/10 12:42
S758	16	S756 and S757	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/10 12:44

S759	4067	711/114.ccls. 711/4.ccls. 711/168.ccls. 711/150.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/10 12:54
S760	4747	365/189.04-189.05.ccls. 365/220-221.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/14 12:26
S761	465	360/22.ccls. 360/47.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/14 12:26
S762	619	369/30.1.ccls. 369/30.23 369/93. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/14 12:26
S763	621	710/20-21.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/14 12:26
S764	134123	read\$3 with (buffer fifo queue)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/14 12:52
S765	6155	711/112-114.ccls. 711/4.ccls. 711/168.ccls. 711/150.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/10 12:55
S766	13791	(double dual duplicate two multiple plural burst mirror\$3) with (writ\$3 copy\$3)with (command instruction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/14 12:22
S767	2517	(reserve protect) with (area region) same user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/14 12:52
S768	36342	(double dual duplicate two multiple plural burst mirror\$3) with (writ\$3 copy\$3)with (command instruction header bit flag byte tag)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/10 13:17
S769	6439	S760 S761 S762 S763	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/10 13:18

S770	3202	S769 and S757	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/10 12:59
S771	1656	S764 and S770	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/10 12:59
S772	1534	S771 and (@ad<="20030715" @rlad<="20030715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/10 13:18
S773	0	S772 and S767	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/10 13:02
S774	83205	(reserve protect replicate duplicate mirror) same user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/10 13:04
S775	32	S772 and S774	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/10 13:04
S776	32	S775 and (user operator)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/10 13:16
S777	33920	(double dual duplicate two multiple plural) with (writ\$3 copy \$3)with (command instruction header bit flag byte tag)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/10 13:20
S778	12490	S764 and S777	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/10 13:17
S779	11196	S778 and (@ad<="20030715" @rlad<="20030715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/10 13:47
S780	12457	S760 S761 S762 S763 S765	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/10 13:19

S781	1052	S779 and S780	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/10 13:19
S782	8024	(double dual duplicate two multiple plural) with (writ\$3) with (header packet\$6 frame)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/10 13:46
S783	71	S781 and S782	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/10 13:21
S784	824	(double dual duplicate two multiple plural) with (writ\$3) with header	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/10 13:46
S785	746	S784 and (@ad<="20030715" @rlad<="20030715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/10 14:43
S786	740	S785 and S757	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/10 13:48
S787	358	S786 and S764	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/10 13:48
S788	26	S780 and S787	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/10 14:41
S789	3184	host same (command instruction) same (rom firmware) same (disk raid array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/10 14:48
S790	2488	S789 and (@ad<="20030715" @rlad<="20030715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/14 12:51
S792	247	S777 and S790	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/10 14:45

S793	154	S792 and S764	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/10 14:45
S794	1542	host same (command instruction) same (rom firmware) same ((disk drive) near5 hard)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/10 14:49
S795	44	S793 and S794	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/10 16:04
S796	33	S765 and S757 and S767	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/10 16:05
S797	21	S796 and S764	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/10 16:05
S798	21	S797 and (@ad<="20030715" @rlad<="20030715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/10 16:06
S799	27	((JAMES) near2 (KROENING)). INV.	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/14 12:18
S800	4	((JAMES) near2 (KROENING)). INV.	EPO; JPO; DERWENT	OR	ON	2007/05/14 12:19
S801	31	S799 S800	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/14 12:20
S802	39832	(double dual duplicate two multiple plural burst mirror\$3) with (writ\$3 copy\$3 stor\$3)with (command instruction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/14 12:22
S803	6114	711/114.ccls. 711/4.ccls. 711/168.ccls. 711/150.ccls. 711/161-162.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/14 12:25
S804	1941	707/204.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/14 12:25

S805	4979	365/189.04-189.05.ccls. 365/220-221.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/14 12:26
S806	468	360/22.ccls. 360/47.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/14 12:26
S807	653	369/30.1.ccls. 369/30.23 369/93. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/14 12:26
S808	638	710/20-21.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/14 12:47
S809	2	S801 and S802	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/14 12:50
S810	14196	S803 S804 S805 S806 S807 S808	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/14 12:50
S811	1753	S802 and S810	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/14 12:50
S812	1411	S811 and (@ad<="20030715" @rlad<="20030715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/14 13:59
S813	3721	(reserve protect safe) with (area region) same user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/14 12:53
S814	9573	(reserve protect\$3 safe) with (area region) same user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/14 12:53
S815	18	S812 and S814	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/14 12:53

S816	140745	read\$3 with (buffer fifo queue)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/14 12:53
S817	14	S815 and S816	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/14 13:11
S818	74	S802 and S814 and S816	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/14 13:59
S819	60	S818 not S817	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/14 13:57
S820	3381	location same (read with size)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/14 13:58
S821	327	S802 and S820 and S816	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/14 13:59
S822	262	S821 and (@ad<="20030715" @rlad<="20030715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/14 13:59
S823	27	S822 and S810	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/14 13:59
S824	29	((JAMES) near2 (KROENING)). INV.	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/02 09:55
S825	4	((JAMES) near2 (KROENING)). INV.	EPO; JPO; DERWENT	OR	ON	2008/08/02 09:55
S826	33	S824 S825	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 09:55
S827	46815	(double dual duplicate two multiple plural burst mirror\$3) with (writ\$3 copy\$3 stor\$3)with (command instruction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 09:55

S828	2	S826 and S827	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 09:55
S829	159549	(reserve protect safe backup) with (area region portion)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 09:57
S830	7436	711/114.ccls. 711/4.ccls. 711/168.ccls. 711/150.ccls. 711/161-162.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 09:59
S831	2546	707/204.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 09:59
S832	5986	365/189.04-189.05.ccls. 365/220-221.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 09:59
S833	468	360/22.ccls. 360/47.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 09:59
S834	715	369/30.1.ccls. 369/30.23 369/93. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 09:59
S835	691	710/20-21.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 09:59
S836	17110	S830 S831 S832 S833 S834 S835	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 09:59
S837	2148	S827 and S836	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 09:59
S838	1533	S837 and (@ad<="20030715" @rlad<="20030715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 09:59

S839	133	S838 and S829	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 10:00
S840	156355	read\$3 with (buffer fifo queue)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 10:01
S841	40	S839 and S840	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 10:01
S842	191672	address same (command instruction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 10:01
S843	33	S841 and S842	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 10:02
S844	5613	(double dual duplicate two multiple plural) with (bit indicator byte) with (writ\$3 copy \$3 stor\$3)with (command instruction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 12:02
S845	1031	S844 same (buffer queue fifo)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 12:06
S846	924	(storage disk drive) and S845	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 12:08
S847	327	(storage disk drive) same S845	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 12:08
S848	247	S847 and (@ad<="20030715" @rlad<="20030715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 12:09
S849	476	((double dual duplicate two multiple plural) with (writ\$3 copy \$3 stor\$3)with (command instruction)) same firmware	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 12:10

S850	1	S848 and S849	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 12:10
S851	2076	(double dual duplicate two multiple) with (bit indicator byte) with (writ\$3)with (command instruction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 12:12
S852	663	(double dual multiple) with (bit indicator byte) with (writ\$3) with (command instruction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 12:13
S853	476	S852 and (disk drive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 12:13
S854	404	S853 and (buffer fifo queue)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 12:14
S855	105216	(reserve protect safe backup) with (area region location)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 12:14
S856	73	S854 and S855	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 12:15
S857	9	(double dual multiple) with firmware with (writ\$3)with (command instruction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 12:15
S858	0	S856 and S857	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 12:15
S859	191672	address same (command instruction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 12:21
S860	73	S856 and S859	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 12:21

S861	3817	location same (read with size)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 12:22
S862	5117	firmware with command	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 12:22
S863	2	S860 and S862	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 12:22
S864	134196	address with (command instruction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 12:26
S865	72	S856 and S864	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 12:27
S866	10	S865 and (@ad<="20030715" @rlad<="20030715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 12:33
S867	743	(chain with command) same (disk drive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 12:41
S868	523	S867 and (@ad<="20030715" @rlad<="20030715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 12:42
S869	150	S868 and S840	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 12:42
S870	6942	(double dual multiple) with (bit indicator byte) with (writ\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 12:43
S871	1	S869 and S870	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 12:43

S872	16459	(double dual duplicate two multiple plural mirror\$3) with (writ\$3 copy\$3 stor\$3)with (command instruction)	US-PGPUB	OR	ON	2008/08/02 12:46
S873	44930	read\$3 with (buffer fifo queue)	US-PGPUB	OR	ON	2008/08/02 12:47
S874	62009	address same (command instruction)	US-PGPUB	OR	ON	2008/08/02 12:47
S875	17	(S872 and S873 and S874 and (disk drive)).clm.	US-PGPUB	OR	ON	2008/08/02 12:48
S876	3291	(single one) with read\$3 with (bufferr fifo queue)	US-PGPUB	OR	ON	2008/08/02 13:15
S877	4899	((double dual duplicate two multiple plural mirror\$3) with (writ\$3 copy\$3 stor\$3)) same ((location area region address) with (disk drive))	US-PGPUB	OR	ON	2008/08/02 13:17
S878	2	(S872 and S873 and S874 and S876 and S877).clm.	US-PGPUB	OR	ON	2008/08/02 13:18
S879	64394	((double dual duplicate two multiple plural mirror\$3) with (writ\$3 copy\$3 stor\$3)) same ((location area region address))	US-PGPUB	OR	ON	2008/08/02 13:23
S880	220	((double dual duplicate two multiple plural) with (writ\$3 copy \$3 stor\$3)with (command instruction)) same firmware	US-PGPUB	OR	ON	2008/08/02 13:25
S881	0	(S872 and S873 and S874 and S876 and S877 and S880).clm.	US-PGPUB	OR	ON	2008/08/02 13:25
S882	25775	(indicat\$3 designat\$3) same ((dual double two multiple) with writ\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 13:27
S883	6499	(indicat\$3 designat\$3) same ((dual double two multiple) with writ\$3)	US-PGPUB	OR	ON	2008/08/02 13:27
S884	0	(S872 and S873 and S874 and S876 and S877 and S883).clm.	US-PGPUB	OR	ON	2008/08/02 13:28
S885	0	"6412042".pn. and software	US-PGPUB	OR	ON	2008/08/02 15:44
S886	0	"6412042".pn. and software	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 15:44
S887	33	((JAMES) near2 (KROENING)). INV.	US-PGPUB; USPAT; USOCR	OR	ON	2010/05/23 23:48
S888	4	((JAMES) near2 (KROENING)). INV.	EPO; JPO; DERWENT	OR	ON	2010/05/23 23:48

S889	37	S887 S888	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/23 23:48
S890	60457	(double dual duplicate two multiple plural burst mirror\$3) with (writ\$3 copy\$3 stor\$3)with (command instruction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/23 23:48
S891	2	S889 and S890	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/23 23:48
S892	60457	(double dual duplicate two multiple plural burst mirror\$3) with (writ\$3 copy\$3 stor\$3)with (command instruction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/23 23:51
S893	191080	(reserve protect safe backup) with (area region portion)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/23 23:51
S894	9745	711/114.ccls. 711/4.ccls. 711/168.ccls. 711/150.ccls. 711/161-162.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/23 23:51
S895	0	707/204.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/23 23:51
S896	6884	365/189.04-189.05.ccls. 365/220-221.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/23 23:51
S897	472	360/22.ccls. 360/47.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/23 23:51
S898	794	369/30.1.ccls. 369/30.23 369/93. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/23 23:51
S899	805	710/20-21.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/23 23:51

S900	18512	S894 S895 S896 S897 S898 S899	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/23 23:51
S901	2483	S892 and S900	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/23 23:51
S902	1501	S901 and (@ad<="20030715" @rlad<="20030715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/23 23:51
S903	121	S902 and S893	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/23 23:51
S904	180852	read\$3 with (buffer fifo queue)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/23 23:51
S905	36	S903 and S904	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/23 23:51
S906	227066	address same (command instruction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/23 23:51
S907	29	S905 and S906	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/23 23:51
S908	6464	(double dual duplicate two multiple plural) with (bit indicator byte) with (writ\$3 copy \$3 stor\$3)with (command instruction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/24 00:21
S909	1144	S908 same (buffer queue fifo)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/24 00:21
S910	342	(storage disk drive) same S909	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/24 00:21

S911	252	S910 and (@ad<="20030715" @rlad<="20030715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/24 00:21
S912	617	((double dual duplicate two multiple plural) with (writ\$3 copy \$3 stor\$3)with (command instruction)) same firmware	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/24 00:21
S913	1	S911 and S912	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/24 00:21

EAST Search History (I nterference)

< This search history is empty >

5/ 24/ 10 7:53:08 AM